# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| L1 | 2984 | (command$1 near5 address$2) near5 (CLK$1 OR clock OR edge$1 OR transition$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/05/14 15:47 |
| L2 | 7488 | SLDRAM$1 OR RDRAM$1 OR (XDR ADJ DRAM$1) OR DRDRAM$1 OR D-RDRAM$1 OR Ramlink$1 OR synclink$1 OR ((rambus$1 OR synclink$1 OR (synchronous ADJ link)) ADJ DRAM$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/05/14 15:47 |
| L3 | 53 | L2 SAME L1 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/05/14 15:47 |
| L4 | 5132 | (711/167-169,154).CCLS. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2007/05/14 15:47 |
| L5 | 1756 | (711/104-105).CCLS. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2007/05/14 15:47 |
| L6 | 671 | L4 AND L5 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/05/14 15:47 |
| L7 | 3 | L6 AND L3 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/05/14 15:48 |
| L8 | 12 | L3 AND (L4 OR L5) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/05/14 15:48 |
| L10 | 6870 | (365/233,194,189.02,230.02,230.08).CCLS. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2007/05/14 15:48 |
| L11 | 13 | L3 AND (L10) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/05/14 15:48 |
| L13 | 2984 | (command$1 near5 address$2) near5 (CCLK$1 OR CLK$1 OR clock OR edge$1 OR transition$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/05/14 15:48 |

| | | | | | | |
|---|---|---|---|---|---|---|
| L14 | 6584 | (address$2) near5 ((second OR next OR subsequent$2 OR follows OR following) near5 (CCLK$1 OR CLK$1 OR clock OR edge$1 OR transition$1)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/05/14 15:48 |
| L15 | 219 | L13 near5 L14 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/05/14 15:48 |
| L16 | 79 | L15 AND (L4 OR L5 OR L10) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/05/14 15:52 |
| L17 | 27 | L15 AND (L4 OR L5) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/05/14 15:58 |
| L19 | 52 | L15 AND (L10) NOT L17 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/05/14 16:00 |
| L21 | 27 | (US-20030026163-$ or US-20010006483-$ or US-20050172095-$ or US-20060265565-$).did. or (US-4388620-$ or US-6279090-$ or US-6286062-$ or US-5825710-$ or US-6266750-$ or US-6405280-$ or US-4346458-$ or US-5666321-$ or US-6442644-$ or US-6034916-$ or US-6192002-$ or US-3735368-$ or US-6426915-$ or US-6094727-$ or US-3922644-$ or US-6484244-$ or US-6172893-$ or US-6029252-$ or US-5973989-$ or US-6560669-$ or US-6519675-$ or US-6125078-$ or US-6178133-$ or US-6321315-$).did. | US-PGPUB; USPAT | OR | ON | 2007/05/14 16:00 |
| L22 | 9 | L21 AND ((bank ADJ address$3 OR BA) near5 (row ADJ address$3 OR RA OR RAS)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/05/14 16:00 |
| L24 | 69 | ((command near4 address) near5 (signal$1 OR bit$1)) WITH ((bank ADJ address$3 OR BA) near5 (row ADJ address$3 OR RA OR RAS)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/05/14 16:01 |
| L25 | 21 | ((command near4 address) near5 (signal$1 OR bit$1)) WITH ((bank ADJ address$3 OR BA) near5 (row ADJ address$3 OR RA OR RAS) near5 (column ADJ address$3 OR CA OR CAS)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/05/14 16:01 |

| L26 | 2 | (A8 OR RA8) near5 ((RAS OR RA) near5 pin$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/05/14 16:02 |
| L27 | 57 | ((row ADJ address near3 (bit$1 OR signal$1)) OR A8 OR RA8) near5 (RAS near5 pin$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/05/14 16:02 |
| L28 | 3 | ((row ADJ address) near3 (data OR bit$1 OR signal$1)) near5 (shar$3 OR us$3) near5 (select$3 near3 pin$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/05/14 16:03 |
| L29 | 1 | ((row ADJ address) near3 (data OR bit$1 OR signal$1)) near5 (shar$3 OR us$3) near5 (control$4 near3 pin$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/05/14 16:04 |
| L30 | 9 | ((row ADJ address) near5 (data OR bit$1 OR signal$1)) WITH (shar$3 OR us$3) WITH (control$4 near5 pin$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/05/14 16:04 |
| L31 | 11 | ((row ADJ address) near5 (data OR bit$1 OR signal$1)) WITH (shar$3 OR us$3) WITH (select$3 near5 pin$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/05/14 16:06 |
| L32 | 7 | ((row ADJ address near3 (bit$1 OR signal$1)) OR A7 OR RA7) near5 ((BA0 OR bank ADJ address) near5 pin$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/05/14 16:07 |
| L33 | 10 | ((row ADJ address near5 (bit$1 OR signal$1)) OR A7 OR RA7) WITH ((BA0 OR bank ADJ address) near5 pin$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/05/14 16:07 |
| L34 | 53 | ((address) near2 (data OR bit$1 OR signal$1)) near5 (shar$3 OR us$3) near5 ((command OR control) near2 pin$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2007/05/14 16:07 |